Total Petroleum MID 005358130

5-29-86

Appendices: A-1, A-2 B,C-

Inspector: T. McNiel L. Browne



RCRA PART 265

SUBPART F

ERTEC INSPECTION FORMS

APPENDIX - A COMPLIANCE CHECKLIST FORMS

APPENDIX A-1

FACILITY INSPECTION FORM FOR COMPLIANCE WITH INTERIM STATUS STANDARDS COVERING GROUND-WATER MONITORING

Соп	npany Name: Total Detroleum	; EPA I.D. Num	ber: <u> </u>	D0053	58130
Con	mpany Address: East Superior Alma, MI	_; Inspector's N	ame: <u> </u>	IcNiel	•
Con	npany Contact/Official: Ben White	_ _; Branch/Orgar	nization:_		·
Titl	le: Environmental Engineer	_; Date of Inspe	ction: 5	-29-86	
Тур	oe of facility: (check appropriately)	Yes	<u>No</u>	Unknown	Waived
·	 a) surface impoundment b) landfill c) land treatment facility d) disposal waste pile* 	\equiv	<u></u>		
Gro	ound-Water Monitoring Program				•
1.	Was the ground-water monitoring program reviewed prior to site visit? If "No",	<u> </u>			
	a) Was the ground-water program reviewed at the facility prior to site inspection?	<u> </u>			
2.	Has a ground-water monitoring program (capable of determining the facility's impact on the quality of groundwater in the uppermost aquifer underlying the facility) been implemented? 265.90(a)			:	

^{*}Listed separate from landfill for convenience of identification.

			<u>Y es</u>	<u> No</u>	Unknown	Waived
3.	installe hydrau	least one monitoring well been ed in the uppermost aquifer lically upgradient from the limit waste management area? (a)(1)	<u> </u>			
	fr ta qu (a:	re ground-water samples om the uppermost aquifer, represen- tive of background ground-water sality and not affected by the facility s ensured by proper well number, cations and depths?)	<u> </u>	·		
4.	installe limit o	It least three monitoring wells been ed hydraulically downgradient at the f the waste handling or management 265.91(a)(2)	<u> </u>		·	
	en st or th	o well number, locations and depths sure prompt detection of any attistically significant amounts of HW HW constituents that migrate from e waste management area to the opermost aquifer?	<u> </u>			
5.	areas t	he locations of the waste management been verified to conform with infor- tin the ground-water program?	<u> </u>			
	m	the facility contains multiple waste anagement components, is each emponent adequately monitored?	<u></u> .			
6.	of the agree monito	numbers, locations, and depths ground-water monitoring wells with the data in the ground-water pring system program? f, explain discrepancies.	_			
7.	Well c	ompletion details. 285.91(c)				
	a) 5)					
	c)	sampling at appropriate depths?				
		water?	mostly		others	unknown

10 10

ALEAN A

A SECTION ASSESSMENT

1

			Yes	<u>No</u>	Unknown
8.		a ground-water sampling and analysis been developed? 265.92(a)	<u> </u>		
	a) b) c)	Has it been followed? Is the plan kept at the facility? Does the plan include procedures	<u></u>	· <u>√</u>	<u> </u>
		 and techniques for: 1) Sample collection? 2) Sample preservation? 3) Sample shipment? 4) Analytical procedures? 5) Chain of custody control? 	<u></u>		no specific methods
9.	sam	·	<u> </u>		
	a)	were Are the ground-water samples analyzed for the following:			
		 Parameters characterizing the suitability of the ground- water as a drinking water supply? 	_		
		265.92(b)(1) 2) Parameters establishing ground-water quality? 265.92(b)(2)			
		3) Parameters used as indicators of ground-water contamination? 265.92(b)(3)			·
		(i) For each indicator parameter are at least four replicate measurements obtained at each upgradient well for each sample obtained during the first year of			
-		monitoring? 265.92(c)(2) (ii) Are provisions made to calculate the initial background arithmetic mean and variance of the respective parameter concentrations or values obtained from the upgradient well(s)			
	b)	during the first year? 265.92(c)(2) For facilities which have completed first year ground-water sampling and analysi requirements:	is		
		 Have samples been obtained and analyzed for the ground-water quality parameters at least annually? 265.92(d)(1) Have samples been obtained and analyzed for the indicators of ground-water contamination at least semi-annually? 265.92(d)(2) 	i ——	<u> </u>	.

				Yes	No	Unknown
		dete	e ground-water surface elevations ermined at each monitoring well each each sample was taken? 265.92(e)	<u> </u>		
	G)	eval mon	e the ground-water surface elevations uated annually to determine whether the itoring wells are properly placed? .93(f)			
	e)	If it cati	was determined that modifi- on of the number, location or depth nonitoring wells was necessary, was			
			system brought into compliance with 91(a)? 265.93(f)			
10.	ass		outline of a ground-water quality (a)=	Are in	a <u>ssess</u>	ment now.
	<u>a</u>)		s it describe a program capable etermining:			
		1)	Whether hazardous waste or hazardous waste constituents have entered the ground water?			
		2) 7	The rate and extent of migration of hazardous waste cr hazardous waste constituents in ground water?			
		3)	Concentrations of hazardous waste or hazardous waste constituents in ground water?			
	p)	have	er the first year of monitoring, e at least four replicate measure— its of each indicator parameter been		•	
•			tined for samples taken for each ? 255.93(b)		····	
		1)	Were the results compared with the initial background means from the upgradient well(s) determined during the first year?			
			(i) Was each well considered individually?			
	٠		(ii) Was the Student's t-test used (at the 0.01 level of significance)?			
		2)	Was a significant increase (or pH decrease as well) found in the:			
			(i) Upgradient wells (ii) Downgradient wells If "Yes", Compliance Checklist A-2	$\frac{1}{2}$		
			must also be completed.			

11	Hov	'A 76	cords been kept of analyses for	<u>Yes</u>	No	Unknown
11.	parameters in 265.92(c) and (d)? 265.94(a)(1)		1			
12.	surî	ace	cords been kept of ground-water elevations taken at the time of g for each well? 265.94(a)(1)	1		·
13.	elev	/atio	ecords been kept of required ons in 265.93(b)?		 .	
14.			ne following been submitted to the al Administrator 265.94(a)(2) :*			·
	a)	раг 15 -	tial background concentrations of rameters listed in 265.92(b) within days after completing each quarterly alysis required during the first year?			
	p)	For	r each well, have any parameters whose ncentrations or values have exceeded a maximum contaminant levels allowed			
	c)	seg	drinking water supplies been parately identified? nual reports including:			
	·	1)	Concentrations or values of parameters used as indicators of ground-water contamination for each well along with required evaluations under 265.93(b)?			
		2)	Any significant differences from initial background values in upgradient wells separately identified?			
		3)	Results of the evaluation of ground-water surface elevations?			

^{*}EPA will be proposing (Spring 1982) to replace this reporting requirement with an exception reporting system where reports will be submitted only where maximum contaminant levels or significant changes in the contamination indicators or other parameters are observed. EPA has delayed compliance stage for 14 a) above until August 1, 1982 (Federal Register, February 23, 1982, p.7841-7842) to be coupled with exception reporting in the interim.

APPENDIX A-2

INSPECTION COMPLIANCE FORM FOR A FACILITY WHICH MAY BE AFFECTING GROUND-WATER QUALITY

Company Address: East Superior ; Inspector's Name: McNiel Alma, MI Company Contact/Official: Fr. Wh.t.; Branch/Organization: Title: Environment Engineer ; Date of Inspection: 5-29-86 Type of facility: (Check appropriately) a) surface impoundment b) landfill c) land treatment facility d) tisposal waste pile 1. Have comparisons of ground-water contamination indicator parameters for the upgradient well(s) 255.93(b) shown a signifi- cant increase (or pH decrease as well) over initial background? 2. Have comparisons of indicator parameters for the downgradient wells 255.93(b) shown a significant increase (or pH decrease as well) over initial background? 2. Have comparisons of indicator parameters for the downgradient wells 255.93(b) shown a significant increase (or pH decrease as well) over initial background? a) If "Yes", were additional ground-water samples taken for those downgradient wells where the significant difference was determined? 255.93(c)(2) 1) Were samples split in two? 2) Was the significant difference due to human (e.g., laboratory) error? (If "Yes", do not continue.)	Compa	ny Name: Total Petroleum ; I	EPA LD. Nun	iber: M	1D0053581	30
Company Contact/Official: Fr., Wh; Branch/Organization: Title: Environment Engineer; Date of Inspection: 5-29-86 Type of facility: (Check appropriately) a) surface impoundment b) landfill c) land treatment facility d) tisposal waste pile 1. Have comparisons of ground-water contamination indicator parameters for the upgradient well(s) 295.93(b) shown a significant increase (or pil decrease as well) over initial background? a) If "Yes", has this information been submitted to the Ragional Administrator according to 295.94(a)(2)(ii)? 2. Have comparisons of indicator parameters for the downgradient wells 295.93(b) shown a significant increase (or pil decrease as well) over initial background? a) If "Yes", were additional ground-water samples taken for those downgradient wells where the significant difference was determined? 295.93(c)(2) 1) Were samples split in two? 2) Was the significant difference due to human (e.g., laboratory) error?	Compa		Inspector's N	ame: 🖊	McNiel	
Type of facility: (Check appropriately) a) surface impoundment b) landfill c) land treatment facility d) tisposal waste pile 1. Have comparisons of ground-water contamination indicator parameters for the upgradient well(s) 255.93(b) shown a signiffi- cant increase (or pil decrease as well) over initial background? a) If "Yes", has this information been submitted to the Ragional Administrator according to 255.94(a)(2)(ii)? 2. Have comparisons of indicator parameters for the downgradient wells 255.93(b) shown a significant increase (or pil decrease as well) over initial background? a) If "Yes", were additional ground-water samples taken for those downgradient wells where the significant difference was determined? 255.93(c)(2) 1) Were samples split in two? 2) Was the significant difference due to human (e.g., laboratory) error?	Compa	<u></u>	Branch/Orga	nization:		
Type of facility: (Check appropriately) a) surface impoundment b) landfill c) land treatment facility d) tisposal waste pile 1. Have comparisons of ground-water contamination indicator parameters for the upgradient weil(s) 255.93(b) shown a significant increase (or pH decrease as well) over initial background? a) If "Yes", has this information been submitted to the Ragional Administrator according to 265.94(a)(2)(ii)? 2. Have comparisons of indicator parameters for the downgradient weils 265.93(b) shown a significant increase (or pH decrease as well) over initial background? a) If "Yes", were additional ground-water samples taken for those downgradient weils where the significant difference was determined? 265.93(c)(2) 1) Were samples spiit in two? 2) Was the significant difference due to human (e.g., laboratory) error?	Title:_	Environmental Engineer:	Date of Inspe	ection:	5-29-86	
contamination indicator parameters for the upgradient weil(s) 255.93(b) shown a significant increase (or pH decrease as well) over initial background? a) If "Yes", has this information been submitted to the Regional Administrator according to 265.94(a)(2)(ii)? 2. Have comparisons of indicator parameters for the downgradient weils 255.93(b) shown a significant increase (or pH decrease as well) over initial background? a) If "Yes", were additional ground-water samples taken for those downgradient weils where the significant difference was determined? 255.93(c)(2) 1) Were samples split in two? 2) Was the significant difference due to human (e.g., laboratory) error?	Type o	a) surface impoundment b) landfill c) land treatment facility	Yes	No	Unknown	
submitted to the Regional Administrator according to 265.94(a)(2)(ii)? 2. Have comparisons of indicator parameters for the downgradient weils 255.93(b) shown a significant increase (or pH decrease as weil) over initial background? a) If "Yes", were additional ground-water samples taken for those downgradient weils where the significant difference was determined? 265.93(c)(2) 1) Were samples split in two? 2) Was the significant difference due to human (e.g., laboratory) error?	ca nt co	entamination indicator parameters for the gradient well(s) 265.90(b) shown a signifi- ent increase (or pH decrease as well) over	<u> </u>			
the downgradient wells 255.93(b) shown a significant increase (or pH decrease as well) over initial background? a) If "Yes", were additional ground-water samples taken for those downgradient wells where the significant difference was determined? 255.93(c)(2) 1) Were samples split in two? 2) Was the significant difference due to human (e.g., laboratory) error?	a)	submitted to the Regional Administrator				•
samples taken for those downgradient wells where the significant difference was determined? 265.93(c)(2) 1) Were samples split in two? 2) Was the significant difference due to human (e.g., laboratory) error?	th sig	e downgradient wells 255.93(b) shown a gnificant increase (or pH decrease as well)				
2) Was the significant difference due to human (e.g., laboratory) error?	a)	samples taken for those downgradient wells where the significant difference	_			
		2) Was the significant difference due to human (e.g., laboratory) error?				

S. .

T W

H

And

3

题

			Yes	<u>No</u>	Unknown
3.	erro the	gnificant differences were not due to or, was a written notice sent to Regional Administrator within 7 days of firmation?		<u></u>	
4.	Adπ	nin 15 days of notification of the Regional ninistrator was a certified ground-water of essment plan submitted? 265.93(d)(2)*			
	a)	Does the plan specify 265.93(d)(3):			
•		1) well information (specifics)	<u> </u>		
L		(a) number?(b) locations?(c) depths?	\		
٠		 sampling methods? analytical methods? evaluation methods? schedule of implementation? 	\		
	p)	Does the plan allow for determination of 265.93(d)(4):			•.
		Rate and extent of migration of hazardous waste or hazardous waste constituents?			
		Concentrations of the hazardous waste or hazardous waste constituen	ts?		
	e)	Is it indicated that the first determinati was made as soon as technically feasible 265.93(d)(5)			
		 Within 15 days after the first determination was a written report containing the assessment of ground-water quality submitted to the Regional Administrator? 		·	
	d)	Was it determined that hazardous waste or hazardous waste constituents from th facility have entered the ground water?		ols t) (t	y assessment
		 If "No", was the original indicator evaluation program, required by 265.92 and 265.93(b), reinstated? 			
		(a) Was the Regional Administrator notified of the reinstatement of program within 15 days of the determination? 265.93(d)(6)		<u> N/A</u>	
				•	

THE STATE OF

Unknown

NA

APPENDIX A-3

INSPECTION COMPLIANCE FORM FOR DEMONSTRATING A WAIVER OF INTERIM STATUS REQUIREMENTS

Company Name:; E			; EP	EPA LD. Number:			
Company Address:			_; Inspector's Name:				
					•		
Coi	mbau;	y Contact:	; Bra	nch/Org	ganizat	ion:_	
Tit	le:	·	Dat	e of Inst	pection	: <u> </u>	
				Yes	<u>No</u>	2	Unknown
1.		written waiver demonstration kept at site?					
2.	 Is the demonstration certified by a qualified geologist or geotechnical engineer? 265.90(c) 				-		
3.	Dọe	s the waiver demonstration establish:					
-	a)	The potential for migration of hazardous waste or hazardous waste constituents from the facility to the uppermost aquifor 265.90(c)(1)					
	b)	An evaluation of a water balance including:					
		 Precipitation? Evapotranspiration? Runoff? Infiltration? (including any liquid in surface impoundments) 				<u>-</u>	
	e)	Unsaturated zone characteristics?				_	
		 Geologic materials? Physical properties? Depth to ground water? 					
						_	

		Yes	No	Unknown
()	The potential for hazardous waste or hazardous waste constituents which may enter the uppermost aquifer to migrate to a water supply well or surface water, by evaluation of: 265.90(c)(2)			
•	 Saturated zone characteristics, including: 			
	(a) Geologic materials?(b) Physical properties?(c) Rate of ground-water flow?			
	2) Proximity of the facility to water supply wells or surface water?			

क्षात्रम्

APPENDIX -B

GROUND-WATER MONITORING AND ALTERNATE SYSTEM TECHNICAL INFORMATION FORM

APPENDIX B

GROUND-WATER MONITORING AND ALTERNATE SYSTEM TECHNICAL INFORMATION FORM

1.0	Backgro	ound Data:	•
Com	pany Na	me: Total Petroleum ; EPA LD.#: MID	005358130
Comi	pany Ade	Alma, MI	
Inspe	etor's N	ame: McNicl; Date: 5-29	1 -86
1.1	Type of	facility (check appropriately):	. •
	1.1.1 1.1.2 1.1.3 1.1.4	surface impoundment landfill land treatment facility disposal waste pile	
1.2	Has a g establis	round-water monitoring system been shed?	(Y/N) <u> </u>
	1.2.1	Is a ground-water quality assessment program outlined or proposed?	(Y/N) <u>Y</u>
		If Yes,	•
	1.2.2	Was it reviewed prior to the site visit?	(Y/N)
1.3		round-water quality assessment program been ented or proposed at the site?	(Y/N) <u> </u>
	If yes, Progra	Appendix C, Ground-Water Quality Assessment m Technical Information Form must be utilized also.	/
2.0	Region	al/Facility Map(s)	·
2.1		gional map of the area, with the facility ted, included?	(Y/N) <u>\</u>
	If yes,		, ,
	2.1.1	What is the origin and scale of the map? <u>U.56.5</u> 1: 24000	Tepo
	2.1.2	Is the surficial geology adequately illustrated?	(Y/N) <u>\</u>

	2.1.3	Are there any <u>significant</u> topographic or surficial features evident?	(Y/N) <u>N</u>
		If yes, describe	
	2.1.4	Are there any streams, rivers, lakes, or wet lands near the facility?	(Y/N) <u>'</u>
		If yes, indicate approximate distances from the facility County deals \$50 ft	South of
		waste mont unit.	
	2.1.5	Are there any discharging or recharging wells near the facility?	(Y/N) <u>- √</u>
,		If yes, indicate approximate distances from the facility. Droduction Well ≈ 20 fro	m north
		edge of lawd treatment area.	<u> </u>
2.2		gional hydrogeologic map of the area included? Iformation may be shown on 2.1)	(Y/N) <u>//</u>
	If yes:		
	2.2.1	Are major areas of recnarge/disnoarge shown?	(Y/N)
		If yes, describe.	· · · · · · · · · · · · · · · · · · ·
	·		
	2.2.2	Is the regional ground-water flow direction indicated?	(Y/N)
	2.2.3	Are the potentiometric contours logical? If not, explain.	(Y/N)
2.3	is a fac	eility plot plan included?	(X/N)
	2.3.1	Are facility components (landfill areas, impoundments, etc.) shown?	(Y/N) <u>\</u>
	2.3.2	Are any seeps, springs, streams, ponds, or wetlands indicated?	(Y/N) \frac{1}{2}

3

3

3

lust.

1

President

A STATE OF THE PERSON NAMED IN

Aut.

1

1

To the second

TIME

	2.3.3	Are the locations of any monitoring wells, soil borings, or test pits shown?	(Y/N) /
	2.3.4	Is the facility a multi-component facility?	(Y/N) <u>//</u>
		If yes:	,
		2.3.4.1 Are individual components adequately monitored?	(Y/N)
	•	2.3.4.2 Is a Waste Management Area delineated?	(Y/N)
2.4	Is a sit include	e water table (potentiometric) contour map ed?	(Y/N) <u>\</u>
	If yes,	·	
-	2.4.1	Do the potentiometric contours appear logical based on topography and presented data? (Consult water level data)	(Y/N) <u></u>
	2.4.2	Are groundwater flowlines indicated?	(Y/N)
	2.4.3	Are static water levels snown?	(Y/N) <u>\</u>
	2.2.4	May hydraulic gradients be estimated?	(Y/N) <u>\</u>
	2.4.5	Is at least one monitoring well located hydraulically upgradient of the waste management area(s)?	(Y/N) <u>\</u>
	2.4.6	Are at least three monitoring wells located hydraulically downgradient of the waste management area(s)?	(Y/N) <u>\</u>
	2.4.7	By their location, do the upgradient wells appear capable of providing representative ambient groundwater quality data?	(У/И)
		If no, explain.	
		·	

3.1 Were soil borings/test pits made under the supervision of a qualified professional? If yes, 3.1.1 Indicate the individual(s) and affiliation(s):	3.0	Soil Bo	ring/Test Pit Details
3.1.1 Indicate the individual(s) and affiliation(s): Julie Rutherfold 10	3.1		oil borings/test pits made under the supervision alified professional? (Y/N)
3.1.2 Indicate the drilling/excavating contractor, if known Starns Drilling 3.2 If soil borings/test pits were made, indicate the method(s) of drilling/excavating: Auger (hollow or solid stem) Mud rotary Air rotary Reverse rotary Cable tool Jetting Other, including excavation (explain) 3.3 List the number of soil borings/test pits made at the site 3.3.1 Pre-existing 3.3.2 For RCRA compliance 57 3.4 Indicate borehole diameters and depths (if different diameters and depths use TABLE B-1). 3.4.1 Diameter: See attachment to B-1 3.4.2 Depth: 11 3.5 Were lithologic samples collected during drilling? If yes, 3.5.1 How were samples optained? (Check method(s)) Spilt spoon Shelby tube, or similar Rock cering Ditch sampling		If yes,	
3.2 If soil borings/test pits were made, indicate the method(s) of drilling/excevating: Auger (hollow or solid stem) Mud rotary Air rotary Reverse rotary Cable tool Jetting Other, including excavation (explain) 3.3 List the number of soil borings/test pits made at the site 3.3.1 Pre-existing 3.3.2 For RCRA compliance 5.1 Indicate borehole diameters and depths (if different diameters and depths use TABLE B-1). 3.4.1 Diameter: See attachment to B-1 3.4.2 Depth: 1. Split spoon Split spoon		3.1.1	Indicate the individual(s) and affiliation(s): Julie Rutherford Ulilliams & 11 looks
of crilling/excevating: Auger (hollow or solid stem) Mud rotary Air rotary Reverse rotary Cable tool Jetting Other, including excevation (explain) 3.3 List the number of soil borings/test pits made at the site 3.3.1 Pre-existing 3.3.2 For RCRA compliance 57 3.4 Indicate borehole diameters and depths (if different diameters and depths use TABLE B-1). 3.4.1 Diameter: See attachment to B-1 3.4.2 Depth: "" 3.5 Were lithologic samples collected during drilling? If yes, 3.5.1 How were samples obtained? (Check method(s)) Soilt spoon Shelby tube, or similar Rock coring Ditch sampling	٠	3.1.2	
Mud rotary Air rotary Reverse rotary Cable tool Jetting Other, including excavation (explain) 3.3 List the number of soil borings/test pits made at the site 3.3.1 Pre-existing 3.3.2 For RCRA compliance 5.1 Indicate borehole diameters and depths (if different diameters and depths use TABLE B-1). 3.4.1 Diameter: See attachment to B-1 3.4.2 Depth: 3.5 Were lithologic samples collected during drilling? If yes, 3.5.1 How were samples obtained? (Check method(s)) Split spoon Shelby tube, or similar Rock coring Ditch sampling	3.2		
3.3.1 Pre-existing 3.3.2 For RCRA compliance 3.4 Indicate borenole diameters and depths (if different diameters and depths use TABLE B-1). 3.4.1 Diameter: See attachment to B-1 3.4.2 Depth: 1 1 3.5 Were lithologic samples collected during drilling? If yes, 3.5.1 How were samples obtained? (Check method(s)) Split spoon Shelby tube, or similar Rock coring Ditch sampling		•	Mud rotary Air rotary Reverse rotary Cable tool Jetting
3.3.2 For RCRA compliance 3.4 Indicate porenole diameters and depths (if different diameters and depths use TABLE B-1). 3.4.1 Diameter: See attachment to B-1 3.4.2 Depth: 3.5 Were lithologic samples collected during drilling? If yes, 3.5.1 How were samples optained? (Check method(s)) Spilt spoon Shelby tube, or similar Rock coring Ditch sampling	3.3	List th	e number of soil borings/test pits made at the site
3.4 Indicate porenoie diameters and depths (if different diameters and depths use TABLE B-1). 3.4.1 Diameter: See attachment to B-1 3.4.2 Depth: '' 3.5 Were lithologic samples collected during drilling? If yes, 3.5.1 How were samples obtained? (Check method(s)) Spilt spoon Shelby tube, or similar Rock coring Ditch sampling		3.3.1	Pre-existing
diameters and depths use TABLE B-1). 3.4.1 Diameter: See attachment to B-1 3.4.2 Depth: '' '' 3.5 Were lithologic samples collected during drilling? (Y/N) // If yes, 3.5.1 How were samples obtained? (Check method(s)) • Split spoon • Shelby tube, or similar • Rock coring • Ditch sampling		3.3.2	For RCRA compliance <u>57</u>
3.4.2 Depth: 3.5 Were lithologic samples collected during drilling? If yes, 3.5.1 How were samples obtained? (Check method(s)) Split spoon Shelby tube, or similar Rock coring Ditch sampling	3.4		
3.4.2 Depth: 3.5 Were lithologic samples collected during drilling? If yes, 3.5.1 How were samples obtained? (Check method(s)) • Split spoon • Shelby tube, or similar • Rock coring • Ditch sampling		3.4.1	Diameter: See attachment to B-1
If yes, 3.5.1 How were samples obtained? (Check method(s)) Spiit spoon Shelby tube, or similar Rock coring Ditch sampling		3.4.2	Depth:
3.5.1 How were samples obtained? (Check method(s)) • Spilt spoon • Shelby tube, or similar • Rock coring • Ditch sampling	3.5	Were L	thologic samples collected during drilling? (Y/N)
 Spilt spoon Shelby tube, or similar Rock coring Ditch sampling 		If yes,	
 Shelby tube, or similar Rock coring Ditch sampling 	•	3.5.1	How were samples obtained? (Check method(s))
			 Shelby tube, or similar Rock coring Ditch sampling

1

1

1

Marin

-

N. A.

Allega

To the same of

Kank

1

Salari.

Birtha

Name of Street

Array.

R.

Summary of Soil Borings

	Location by Field applicable)	Boring Log Number	Total Depth	Observation Well		
						
	·	1.00		#]*		
		. 2	•	#2*		
		3	· · · · · · · · · · · · · · · · · · ·	#3*		
	Black - 5'-	4	144"			
•		5	204"	#4		
	Blue s∈	6	24"			
	Blue	7	32 1/2"			
	Blue	8	168 1/2"			
	B1 ue	9	29 1/2"			
	Blue	10	28"			
્	Blue	11	30 1/2"	•		
٠.	B1ue	12	29 1/2"	• •		
	B1 ue	13	31"			
	B1ue	14	28"	· ·		
	B1 ue	15	27 1/2"			
	Blue	16	32 1/2"	•		
	Blue	17	31 1/2"			
•	Blue	18	32"			
	B]ue	19	30 1/2"	1		
	B1ue	20	33"			
	Blue	21	27 1/2"			
	Blue	22	31"			
	Red ,,	23	30 1/2"	·		
	Red	24	105 1/2"			
•	Red	25	32"	` .		
	Red	26	31"	1 × 1		
	Red	27	31"			
	Red	28	31"			

Field applicable)	Boring Log Number	Total Depth	Observation Well
Blue ≤ €	29	144"	
6.J.			
Red μ	30	33"	•
	31	32 1/2"	
White	32	30 1/2"	
White	33	28 1/2"	
White	34	33"	
White ≤ ~	35	30"	
White	36	34"	
White	. 37	32 1/2"	
White	38 .	30"	
Bīue	39	141"	•
Blue 3	40	143"	•
Red	41	176"	
Red	42	200"	
White	43	166"	
White	44	179 1/2"	
•	45	243"	; #5
	46	204"	#6
Black	47 .	. 283"	· .
Green	48	176"	
Green	49	138"	
Black	50	264"	•
Red	51	300 "	
Black	52	278"	•
Whi te	53	252"	
White	54	244"	_
Green	55	26 1/2"	•
Green	56	31 "	
Green	57	31"	
			,

^{*} Wells installed during 1977.

•	•	
BORING NO.	DEPTH	
		•
	,	
	;	
•		٠.

	3.5.2	At what interval were samples collected? Varying
	3.5.3	Were the deposits or rock units penetrated described? (boring logs, etc.) $(Y/N) \stackrel{\checkmark}{\underbrace{\hspace{1cm}}}$
3.6	If test proced	pits were excavated at the site, describe uses. Backhoe used for visual determination old Dit excavation
4.0	Well C	ompletion Detail
4.1	Were to	he wells installed under the supervision of a qualified ional? (Y/N)
	If yes:	
• • • •	4.1.1	Indicate the individual and affiliation, if known Liells 1, 2, 3, 4 Tulie Rutherford - Williams & Work Navious (Fishbirk, Thompson, Court Huber, Total, ITCorp, With
	4.1.2	Indicate the well construction contractor, if known Various (Stearns, Lilcox, Saintest & Tefal)
4.2	List th	e number of wells at the site
	4.2.1	Pre-existing
	4.2.2	For RCRA Compliance
4.3	Well co	enstruction information (fill out INFORMATION IB-2)
	4.3.1	If PVC well screen or casing is used, are joints (couplings):
	-	 Glued on Screwed on
	4,3.2	Are well screens sand/gravel packed? (Y/N)

7

1

701

MAI

1

4

T. A.

Mad Australia

T.

N. T.

1

K. A.

	• • • • • • • • • • • • • • • • • • • •	Down	Down	Down	иР	Down	Down
	WELL NO.		• .	·	MW-18	MW-19	mw-21
	GROUND ELEVATION	-				_	
	TOTAL DEPTH	16.25	20.3±	22'	21'	17'	23'
	TYPE MATERIAL	Galv.	Galv.	Galv	Galv.	Galv.	Galv.
<u> </u>	DIAMETER	2"	2"	2	2"	2"	2"
CABING	LENGTH	18'	_				-
WELL	STICX-UP						2 ½ ′
	TOP ELEVATION	748.47	748.34	745.07	749.05	744.77	744.06
	BOTTOM ELEVATION	-	_	_	_	_	_
	DEPTH TOP/BOTTOM				-		
BCREEN	TYPE MATERIAL	Steinless Steel	Stainless Steel	Stainles Steel	Stanless Steel	Stanless Steel	stainless Steel
	DIAMETER	14"	. 14"	2"	2"	2 "	2"
	LENGTH	2.5	, a '	3,	3'	31	· 3."
WELL	SLOT SIZE	80 Ganze	EC Ganze	٦.	#10 510t	7.	?
	TOP ELEVATION			_		_	
·	BOTTOM ELEVATION				·	. —	
CK)	DEPTH TOP/BOTTOM						
OPEN HOLE OR AND GRAVEL PACK	DIAMETER	_	_	_			
	LENGTH	821	7				
OPE A	TOP ELEVATION					-	
8	BOTTOM ELEVATION		·				

1		4.3.3	Are annular spaces sealed?	(Y/N) <u>\</u>
	ı		If yes, describe:	,
1			bentonite slurry Cement grout Other (explain)	
	•		• Thicknesses of seals Varies (some well	5 - unknown if senter
1		4.3.4	If "open hole" wells, are the cased portions sealed in place?(Y/N) N/A	,
1			If yes, describe how:	
1		4.3.5	Are there cement surface seals?	(Y/N) <u>//</u>
4	·		<pre>If yes, • How thick?</pre>	
		4.3.5	· · · · · · · · · · · · · · · · · · ·	(Y/N) <u> </u>
- William			If yes,Do they lock?	(Y/N) N
		4.3.7	Are protective standpipes cemented in place?	(Y/X) N
		4.3.3	Were wells developed?	(Y/N) Unknown
			If yes, check appropriate method(s): • Air lift pumping	
1			 Pumping and surging Jetting Bailing 	
7			Other (explain)	
3.	5.0	Acuife	r Characterization	
<u></u>	5.1	Has th	e extent of the uppermost saturated zone er) in the facility area been defined?	(Y/N) <u> </u>
1		if yes,		·
3		5.1.1	Are soil boring/test pit logs included?	(Y/Y) <u>\</u>
ل		5.1.2	Are geologic cross-sections included?	(Y/N) /
1				(B−6

I

THE

A

		Down	Down	Down	-Down		
	WELL NO.	MW-20	ma-16	mw-23	MW-30		
	GROUND ELEVATION	• · · · · · · · · · · · · · · · · · · ·					
	TOTAL DEPTH	24'	274	27'	21	·	
	TYPE MATERIAL	Galv	Galv.	Galu. ?	Plastic		
0	DIAMETER	2 "	2"	2"	4"		
CABING	LENGTH	_		<u> </u>			
WELL (STICX-UP	7	31"	3	2'		
7	TOP ELEVATION	746.96	750.37	747,00	747.63		
	BOTTOM ELEVATION	-					
	DEPTH TOP/BOTTOM						
	TYPE MATERIAL	Steinless Steel	Stainless Steel	Stanless Steel	Plastic		
BCREEN	DIAMETER	2"?	2"	2"	4"		
	LENGTH	3'	5'	3'	10'		
WELL	SLOT SIZE	#12	?	#7	#10		
	TOP ELEVATION					·	
	BOTTOM ELEVATION						
CK	DEPTH TOP/BOTTOM						
PA	DIAMETER					•	
OPEN HOLE AND/GRAVEL	LENGTH		·			·	
OPEN AND/G	TOP ELEVATION				<u>.</u>		
S	BOTTOM ELEVATION				·		

5.2		e evidence of confining (low permeability) beneath the site?	(Y/N) <u>\</u>
	If yes,		
	5.2.1	Is the areal extent and continuity indicated?	(Y/N) <u>\</u>
	5.2.2	Is there any potential for saturated conditions (perched water) to occur above the uppermost aquifer? (Y/N)	
	÷	If yes, give details: Very combex glacial No evidence, but could exist as	geology isolated
		lenses	
		a) Should or is this perched zone being monitored?	(Y/N) <u> </u>
	erskere st. s	Explain	
	5.2.3	What is the lithology and texture of the uppermost saturated zone (aquifer)? Fine Sand	, s. 1tu
	5.2.4	What is the saturated thickness, if indicated?	5 <i>H</i> .
5.3	Were s	tatic water levels measured?	(Y/N) <u></u>
	If yes,		
	5.3.1	How were the water levels measured (check method(s)).	
		 Electric water sounder Wetted tape Air line Other (explain) 	······································
	5.3.2		(2/2) > /
	J.J.2	Do fluctuations in static water levels occur?	(Y/N) /
		If yes,	
	,	5.3.2.1 Are they accounted for (e.g. seasonal, tidal, etc.)?	(Y/N) <u>\</u>
		If yes, describe: Seasona	
	•		
	•		<u>.</u>

I

記

H.

		3.3.4.4	general ground-water gradients and flow directions?	(Y/N) <u>N</u>
			If yes,	
٠,		5.3.2.3	Will the effectiveness of the wells to detect contaminants be reduced?	(Y/N) <u>//</u>
			Explain	
·				
	·	5.3.2.4	Based on water level data, do any head differentials occur that may indicate a vert flow component in the saturated zone?	ical (Y/N) <u>Unk</u> row
			If yes, explain	
				(22.22)
5.4		iquifer hy	draulic properties been determined?	(Y/N) <u>\</u>
	If yes,	·		
	5.4.1	steoibal	e method(s):	
•		• Falli	ping tests ing/constant head tests pratory tests (explain)	
				
	5.4.2	If deter	mined, what are the values for:	
			smissivity	·
		StorLeak	age coefficient	
	44	Pern Porc	neability <u>140e</u> al/f	42/day
			rific capacity	•
	5.4.3		where several tests were undertaken, were ancies in the results evident?	(Y/N) N/A
	· · · · · · · · · · · · · · · · · · ·	If yes,	explain	
	5.4.4			· · · · · · · · · · · · · · · · · · ·
	J.T.T	determi	orizontal ground-water flow velocities ined?	(Y/N) <u>/</u>
		if yes, i	ndicate rate of movement Approx C	0.3 ft/day
				1 1

Pin

ट्रांस

447

17

A TOTAL

6.0	Well P	eriormance	
6.1	Are th	e monitoring wells screened in the uppermost aquifer?	(Y/N) <u> </u>
•	6.1.1	Is the full saturated thickness screened?	(Y/N)
	6.1.2	For single completions, are the intake areas in the: (check appropriate levels)	
•		 Upper portion of the aquifer Middle of the aquifer Lower portion of the aquifer 	
	6.1.3	For well clusters, are the intake areas open to different portions of the aquifer?	Mostly (Y/N) N/A
	6.1.4	Do the intake levels of the monitoring wells appear to be justified due to possible contaminant density and groundwater flow velocity?	(Y/N) \
7.0	Ground	l-Water Quality Sampling	
7.1	Is a sa include	mpling (groundwater quality) program and schedule ed?	(Y/N) Y no schud
7.2	Are sa	mple collection field procedures clearly outlined?	(Y/N) <u>\</u>
	7.2.1	How are samples obtained: (check method(s))	•
		 Air lift pump Submersible pump Positive displacement pump Centrifugal pump Peristaltic or other suction-lift pump Bailer Other (describe) 	nρ
	7.2.2	Are all wells sampled with the same equipment and procedures? If no, explain baller + pitcher puny used a different wells	(Y/N) <u>N</u>
	7.2.3	Are adequate provisions included to clean equipment a sampling to prevent cross-contamination between wells?	After (Y/N)

	7.2.4 Are org	anic constituents to be sampled?	(Y/N) <u>\</u>
	If yes,	·	
	7.2.4.1	Are samples collected with equipment to minimize absorption and volatilization?	(Y/N) <u>/</u>
		If yes,	
	•	Describe equipment	
	•		
8.0	Sample Preserv	ation and Handling	
8.1		te sample preservation and preparation followed (filtration and preservation ate)?	(Y/N) <u></u>
8.2	Are samples ref	rigerated?	(X/X) <u>/</u>
8.3	Are EPA recom adhered to?	mended sample holding period requirements .	(Y/N) <u> </u>
8.4	Are suitable co	ntainer types used?	(X/N) \
8.5		made to store and ship samples under (ice packs, etc.)?	(Y/N)
8.6	Is a chain of cu	stody control procedure clearly defined?	(Y/N) \
8.7	Is a specific cha	ain of custody form illustrated?	(Y/Y) \(\frac{1}{4} \)
	If yes,		
	sample	s form provide an accurate record of possession from the moment the sample until the time it is analyzed?	(Y/Y) <u>\</u>
9.0	Sample Analysis	s and Record Keeping	•
9.1	Is sample analy	sis performed by a qualified laboratory?	(Y/Y) \(\frac{1}{2}\)
	Indicate lab To	tal Petroleum Lab (NPDES appro	nied)
9.2	Are analytical	methods described in the records?	(K/X)
	9.2.1 Are ans	liytical methods acceptable to EPA?	(K/X)
9.3	Are the require tested for?	d drinking water suitability parametters	(Y/N) <u> </u>
9.4	Are the require	d Trougdwater quality page marage tasted for?	(x/x) \

i de

-

3.3	Are the	(Y/N)	
9.6	Are any	On-site 180	
	Identify	·:	
	• Spec	perature pific conductance per (describe)	
9.7		n included to record information about each sample ed during the groundwater monitoring program?	(Y/N) <u></u>
	9.7.1	Are field activity logs included?	(Y/N) <u></u>
	9.7.2	Are laboratory results included?	(Y/N) <u>\</u>
	9.7.3	Are field procedures recorded?	$(Y/N) \frac{\gamma}{\gamma}$
	9.7.4	Are field parameter determinations included?	(Y/N)
	9.7.5	Are the names and affiliation of the field personnel included?	(Y/N) <u>\</u>
9.8		tistical analyses planned or shown for all water results where necessary?	(Y/N) <u>\</u>
	9.8.1	Is an analysis program set-up which adheres to EPA guidelines?	(Y/N)
	9.8.2	Is Student's t-test utilized? If other evaluation procedure used, identify	(Y/N)
	9.3.3	Are provisions made for submitting analysis reports to the Regional Administrator?	(Y/N)
10.0	Site Ve	rification	
10.1		an indicating the locations of various facility ents, ground-water monitoring wells, and surface	(Y/N) <u> </u>
	10.1.1	Is the plot plan used for the inspection the same as in the monitoring program plan documentation?	n (Y/N)
		If not, explain	

1

1

I

I

1

1

10.1.2	Are all of during the document	f the components of the facility identified e inspection addressed in the monitoring progra tation?	ım (Y/N)
	If not, ex	plain	
10.1.3		e any streams, lakes or wetlands on or to the site?	(Y/N) ⁻
	If yes, inc	dicate distances from waste management areas	
10.1.4		e any signs of water quality degradation n the surface water bodies?	(Y/N)
	If yes, ex	plain	
10.1.5	vegetatio	any indication of distressed or dead on on or adjacent to the site?	(Y/N) <u>\</u>
	If yes, ex	plain	
10.1.5	features or discha	e any significant topographic or surficial on or near the site (e.g., recharge rge areas)?	(Y/N)
	If yes, ex	nialc	
10.1.7		monitor well locations and numbers in nt with the monitoring program tation?	(Y/N) <u>\</u>
	If no, exp	plain	
	10.1.7.1	Were locations and elevations of the monitor wells surveyed into some known datum?	(Y/N)
		If not, explain	

17.11

	10.1.7.2	Were the wells sounded to determine total depth below the surface?	(Y/N)
•		If not, explain	
	10.1.7.3	Were discrepancies in total depth greater that two feet apparent in any well? If yes, explain	n (Y/N) <u>\</u>
10.1.8	wells?	and water encountered in all monitoring	(Y/N)
10.1.9	Were wa	ter level elevations measured during the site	(Y/N) <u></u>
		dicate well number and water level elevation NW20-7.97 MW20-7.97 M	
	If not, ex	kplain	· · · · · · · · · · · · · · · · · · ·

APPENDIX - C

I

I

夏

GROUND-WATER QUALITY ASSESSMENT PROGRAM INFORMATION FORM

APPENDIX C

GROUND-WATER QUALITY ASSESSMENT PROGRAM INFORMATION FORM

Com	pany Na	me: Total Potroloum: EPA L.D. #: MID 005358130
Com	pany Ad	dress: East Superior
		Alma, MI
Inspe	ector's N	iame: <u>Nc Niel</u> ; Date: <u>5-29-86</u>
<u>1.0</u>	Backgro	und
	waste n	constituents (contaminants) originating from the sanagement area: (use separate sheet sary TOC Specific Conductance
	TOC	-> Napthenic reids throphenic sulfones petrolen
		e concentrations of the hazardous waste or hazardous onstituents shown significant increases in:
. •		radient monitoring wells $(Y/N) \frac{\bigwedge'}{\bigvee}$ wngradient monitoring wells $(Y/N) \frac{\bigvee}{\bigvee}$
	1.2.1	List or indicate on a map, the wells which have shown significant increases: (use separate sheet if necessary) No. 3 15 19 20 21 30 23
1.3		e significant increases in contaminant concentration ned through the use of the student's t-Test? (Y/N)
	If no,	
	1.3.1	Explain procedure used
		
1.4	Has the	possibility of error (e.g., laboratory) been eliminated? (Y/N)
	1.4.1	Explain
	. •	

No.

, c

Trial.

TYPE MATERIAL Galv. Galv		r:							
TOTAL DEPTH 19.5 ± 20' 16' 16.92' 18.9' TYPE MATERIAL Galv. Galv.? Galv. Galv. Galv. DIAMETER 2" 2" 2" 2" 2" 2" LENGTH 18' 2C' 17.5' — — TOP ELEVATION TOP ELEVATION DEPTH TOP/BOTTOM TYPE MATERIAL Stainks; Sta	nw-2]	MW-17	Mw-4.	MW-2	mw-iA	MW-1	WELL NO.		
TYPE MATERIAL Galv. Galv			_	_		_	GROUND ELEVATION		
TYPE MATERIAL Galv. Galv	26'	18,9	16.92	16'	20'	19.5±	TOTAL DEPTH		
LENGTH 18' 2C' 17.5' 2' 4'± 2½'	Plasti	Galv.	Galv.	Galv.	Galv. 3	Galv.	TYPE MATERIAL		
TOP ELEVATION DEPTH TOP/BOTTOM TYPE MATERIAL DIAMETER LENGTH STICX-UP	4"	2"	2"	2.	ュ*	2 "	DIAMETER	9	
TOP ELEVATION DEPTH TOP/BOTTOM TYPE MATERIAL DIAMETER LENGTH STICX-UP	_	_		17.5	20'	18'	LENGTH	SA BIN	
TOP ELEVATION BOTTOM ELEVATION DEPTH TOP/BOTTOM TYPE MATERIAL DIAMETER LENGTH St. 14"	2'	Z½ '	_	4 ±	2'		STICX-UP		
DEPTH TOP/BOTTOM TYPE MATERIAL Stain kss Sta	15123	756.17	745.45	748.66	750.23	74833	TOP ELEVATION		
TYPE MATERIAL Stain kss	-						BOTTOM ELEVATION		
TYPE MATERIAL Steel Steel Steel Steel 14" 2" 14" 7 LENGTH SLOT SIZE TOP ELEVATION DEPTH TOP/BOTTOM Steel Steel Steel Steel Steel 14" 2" 14" 7 14" 7 Steel Stee	16/26						DEPTH TOP/BOTTOM		
DIAMETER $1\frac{1}{4}$ 2 $1\frac{1}{4}$ 7 LENGTH $2\frac{1}{4}$ $2\frac{1}{4}$ $3\frac{1}{2}$ 5 SLOT SIZE TOP ELEVATION BOTTOM ELEVATION DEPTH TOP/BOTTOM	Plastic	?	3]	1 - 1	1 .	TYPE MATERIAL		
SLOT SIZE TOP ELEVATION BOTTOM ELEVATION DEPTH TOP/BOTTOM		7	14"	14"	2"	14"	DIAMETER	REEN	
TOP ELEVATION BOTTOM ELEVATION DEPTH TOP/BOTTOM	10'	5'	3½'	Z±'	2	Z±'	LENGTH		
BOTTOM ELEVATION	#10	_	7	_	# 7	i	SLOT SIZE	WEL	
DEPTH TOP/BOTTOM							TOP ELEVATION		
M DEPTH TOP/BOTTOM			·				BOTTOM ELEVATION		
	$\overline{/}$						DEPTH TOP/BOTTOM	ACK	
O DIAMETER			·				DIAMETER	0 4	
LENGTH DO DA TOP ELEVATION							LENGTH	N HOL	
TOP ELEVATION							TOP ELEVATION	OPE!	
BOTTOM ELEVATION	N 						BOTTOM ELEVATION		

t1-	
Imple	mentation of the Assessment Program
	ne extent of the migration of hazardous waste or dous waste constituents been determined? (Y/N)
If yes	
3.1.1	Indicate how: (check appropriate method(s))
	 additional ground-water monitoring wells geophysical methods computer simulation other, explain
Were	monitoring wells installed? (Y/N)
If yes	, .
3.2.1	Record monitoring well/peizometer completion data on INFORMATION TABLE NOWS, 20,01,23, C-1.
3.2.2	Were well clusters (nests) used or were wells with multiple intake areas constructed? Give details λ/c
3.2.3	Show the numbers and locations of the additional wells/peizometers on a site map.

Č.

in the second

7

E .

1

1

1

到

ST.

NAME OF THE PERSON OF THE PERS

Z.i.S

1

K

1

सम्ब

No.

		·	_				
WELL NO.		A14.28	Mn-29	MW-22			
	GROUND ELEVATION				i		
	TOTAL DEPTH	26'	21'	14'			
	TYPE MATERIAL	Plastic	Plastic	Galv.		·	
0	DIAMETER	ų"	4"	2"			
CABING	LENGTH		-	-			
WELL (STICX-UP	2'	.2"	21/2	•		
5	TOP ELEVATION	750.15	748.49	744.20			,
	BOTTOM ELEVATION	_	_	_			_
	DEPTH TOP/BOTTOM	16/26	11/21				
	TYPE MATERIAL	Plastic	i	Steel			
BCREEN	DIAMETER	4"	4"	2"			
	LENGTH	10'	10'	3'			
WELL	SLOT SIZE	#10	# 10				
	TOP ELEVATION						
	BOTTOM ELEVATION						·
CK	DEPTH TOP/BOTTOM						
ON PA	RETER					•	
OPEN HOLE AND/GRAVEL	LENGTH						
OPEN NND/G	TOP ELEVATION						
8	BOTTOM ELEVATION						
							<u> </u>

3.2.5	Are the depths of the monitoring wells/ piezometers justified due to the relative	
	characteristics (e.g., densities) of the contaminants?	(Y/Y) <u>\</u>
	Give details	
3.2.5	List any other methods (e.g., soil sample analysis)	
	used to document the extent of the contamination.	1 ,
,	(use separate sheet if necessary) Soil analysis	
	the land treatment area have bee	on done
	to define soil contamination	
	•	
Lian sh	a anna at aanna minang minangian baan dagaaminado	/ 17 / NT N
E82 (1)	e rate of contaminant migration been determined?	(Y/N) <u>></u>
	r	(1/A) -
If yes,	what is it and how was it determined?	(1/N) - y
If yes,	r	(1/N) /
If yes,	what is it and how was it determined?	(1/N) <u>y</u>
If yes,	what is it and how was it determined? mo test (K=140gal/Li2/day max: mum)	(1/N) /
If yes,	what is it and how was it determined?	7
If yes,	what is it and how was it determined?	7
If yes,	what is it and how was it determined? mo test (K=140gal/Li2/day max: mum)	7
If yes,	what is it and how was it determined?	
If yes,	what is it and how was it determined?	
If yes, D. 3.3.1	what is it and how was it determined? The first (K=140gal/Li²lday maximum) Does the rate of migration differ for various contaminants? Give details Net determined at this	
If yes,	what is it and how was it determined? ———————————————————————————————————	
If yes, D. 3.3.1	what is it and how was it determined? The first (K=140gal/Li²lday maximum) Does the rate of migration differ for various contaminants? Give details Net determined at this	
If yes, D. 3.3.1	what is it and how was it determined? ———————————————————————————————————	
If yes, D. 3.3.1	what is it and how was it determined? ———————————————————————————————————	

Town A

الشما

Amilia

APPENDIX - D

WAIVER DEMONSTRATION TECHNICAL INFORMATION FORM

APPENDIX D

WAIVER DEMONSTRATION TECHNICAL INFORMATION FORM

1

1

1

国

Com	pany Na	ıwe:	; EPA ID.#:	
Com	ipany Ad	didress:		.*
Insp	ector's i	Name:	; Date:;	
1.0	Site C	haracteri	zation	
	showin		J.S.G.S., 7.5 min. Topographic Quadrangle May location with water supply wells near the ed.	o, or similar)
	1.0.1	Are the	re discharging wells near the facility?	(Y/N)
		If yes, g	give distances to wells	
		1.0.1.1	Which aquifers in the vicintiy provide water supplies?	
		1.0.1.2	What is the estimated withdrawal (diversion rate from these aquifers?	
	1.0.2	Are the	re any streams, rivers, or lakes near lity?	(Y/N)
		1.0.2.1	If so, indicate approximate distances from the facility.	
1.1	Regio	nal Hydro	geologic/Surficial Geologic Map	
	1.1.1	Is the s	urficial geology adequately illustrated?	(Y/N)
	1.1.2	Are are	as of recharge/discharge shown?	(Y/N)
	1.1.3	Is regio	nal groundwater flow direction indicated?	(Y/N)
-	1.1.4		water table or potentiometric s logical?	(Y/N)

1.2	facility	Facility (scale at least 1" = 200"), showing the locations of components (e.g., surface impoundments, and disposal and groundwater monitoring wells, springs, seeps, streams, etc.					
	1.2.1	Is the fa	Is the facility a multi-component facility?				
	1.2.2		Are locations of test borings (or pits) and observation wells shown?				
٠		1.2.2.1	Are borings, pits, or wells located in or near the waste management area?	(Y/Y)			
			If yes,				
		1.2.2.2	Do the borings, pits, or wells appear to be of such number, and depth to adequately characterize the substrate?	(Y/N)			
			Give brief detail				
				ds d			
1.3	Borina	i cos and	Geologic Cross Sections				
2.0	•	•	•	(ソ/ソ)			
			re logs of the borings or test pits?	(2/3)			
	1.3.2		e the sub-surface materials described: as appropriate)				
		1.3.2.1	Unified Soil Classification System				
		1.3.2.2	U.S.D.A. Soil Classification System				
		1.3.2.3	Burmeister Classification System	,			
-		1.3.2.4	Other (explain)	······································			
	1.3.3	Are geo	logic cross-sections included?	(Y/N)			
	1.3.4		evidence of confining (low per:neability) eneath the facility?	(Y/N)			
2.0	Waste	Characte	rization				
2.1			naterial been stabilized in any way to preclude leachate being generated?	(Y/N)			
	If yes,	briefly e	xplain methods				
		-					

**

1

1

1

Time.

1

1

1

Action Land

T.

The second

2.2	Have so into the leachat	(Y/N)	
	If yes,		
	<u> </u>		
3.0	Water	Balance	
3.1	Is preci	ipitation data included?	(Y/N)
	3.1.1	How is it tabulated? (check one)	
		 Daily Weekly Monthly Annually 	
	3.1.2	Source of data (check one)	
	wa wa	 U.S. Weather Service State Agency Other Source Identify 	
	3.1.3	Length of record, in years	
	3.1.4	Distance of measuring point from the facility	
3.2	Is actu	al evapotranspiration (AET) data included?	(Y/N)
	3.2.1	Is the source of AET data indicated?	(Y/N)
		If yes, give reference	
3.3	Is run-	off calculated?	(Y/N)
	3.3.1	Is the technique referenced?	(Y/N)
		If yes, give reference	
3.4	Is infil	tration data included?	(Y/N)
	3.4.1	Is source of data referenced?	(Y/N)
		If yes, give reference	·

13.56

3.5	Is there	nere a positive net infiltration recorded?						
	If yes,							
4.0	Unsatu	Unsaturated Zone Characteristics						
4.1	Has the zone witable, o	(Y/N)						
	Briefly	<u></u>						
4.2	Physics	ul Properties						
	4.2.1	Has the applicant defined the unsaturated thickness and areal variability?	(Y/N)					
		Briefly describe	·					
								
	4.2.2	Has the primary and secondary porosity (if any) of the unsaturated zone been determined? Briefly describe	(Y/N)					
		biletty describe						
	4.2.3	Have hydraulic conductivity curves for each sediment type comprising the unsaturated zone been established?	(Y/N)					
	4.2.4	Have textural analyses been performed?	(Y/N)					
	4.2.5	Have bulk densities been estimated?	(Y/N)					
4.3	Chemic	eal Properties	•					
	4.3.1	Has cation exchange been cited as an attenuation means?	(Y/N)					
		if yes,						
		4.3.1.1 Type of clay	•					
		4.3.1.2 Percent of clay	·					
	•	4.3.1.3 Percent of organics						
		4.3.1.4 pH of materials						

7

Party.

1

1

in a

dirant.

Trans.

THE STATE OF

AL THE

A STATE OF THE PARTY OF THE PAR

	4.3.2	Have other attenuation mechanisms, if any, been adequately explained?	(Y/N)
		If yes, cite mechanism:	
		. 4.3.2.1 Biodegradation	
		4.3.2.2 Complexation	
		4.3.2.3 Precipitation	
		4.3.2.4 Chelation	
		4.3.2.5 Other	
5.0	Satura	ted Zone Physical Characteristics	
5.1	Have t determ	(Y/N)	
	If yes, approp	were pumping tests performed to determine (check riate determinations and give results)	
	5.1.1	Transmissivity	
	5.1.2	Hydraulic Conductivity	
	5.1.3	Storage Coefficient	
	5.1.4	Leakage	
5.2	How in	nany tests were performed?	:
	5.2.1	The duration(s) of test(s)	
	5.2.2	The length(s) of the recovery test(s)	
5.3	Were	(Y/N)	
	(check		
	5.3.1	Falling head tests	
	5.3.2	Constant head tests	
	5.3.3	Packer tests	•
	5.3.4	Other	
		Explain	
5.4	Was th	ne saturated thickness determined?	(Y/N)

1.55 Mg.

g.

1

S.C.

1

5.5	Are sta	(Y/N)							
5.5	Is a site	(Y/N)							
	5.5.1	Does the contour map appear logical based on the presented data and topography?	(Y/N)						
	5.6.2	Are groundwater flowlines indicated?	(Y/N)						
	5.6.3	Are hydraulic gradients included?	(Y/N)						
	5.6.4	Are flow velocities included?	(Y/N)						
5.7	Is there	Is there any indication of vertical flow in the saturated zone?							
5.3	Saturat								
	5.3.1	Have water quality analyses been performed to establish background data?	(Y/N)						
	5.3.2	Does background information indicate that the aquifer may be degraded in any way?	(Y/N)						
6.0	Computer Modeling								
6.1	Was a computer simulation utilized in the demonstration?								
	Check appropriate model:								
٠.	6.1.1	Mass transport							
	6.1.2	Flow model							
6.2	Type o								
-	6.2.1	Numerical							
,	6.2.2	Analytic							
	6.2.3	Reference for model?	 						
	6.2.4	Does the data appear to warrant the use of modeling techniques?	(Y/N)						
		If not, explain							
			· · · · · · · · · · · · · · · · · · ·						
			·						

TWEE THE

1

	FY 1989	5 HAZARDOUS 1	Waste comp	LIANCE MONTO	ORING AND	ENFO	RCEMENT LO	3	New	'	Update 🛶		
1. U.:	S. EPA	ID MIDO	05358	130	3.	CITY_	Alma		4. HANDI	er type	MAJX)R	
2. IN	STALLAT	ion name \mathcal{I}	otal P.	Holeum	Tuc.						NON -	OCAM -	R
5. DATE OF INITIAL EVALUATION WHICH IS THE BASIS FOR THIS REPORT 7 12 83 M D Y				COVERED BY THIS REPORT (Check only one) Z 4 G 5 F			2 Samp 3 Reco Z 4 Grou 5 Foll	aluation Inspection mpling Inspection cord Review cundwater Evaluation llowup Inspection 6 Citizen Complete Complete Cord Review 8 Withdrawal 9 Closed Facility 0 Other					In
7. DAT	re of ev	VALUATION IF only if di	THE EVALU	ATION FOLLOW	INI NA EV	TIAL	EVALUATION	5 29 M D	36 Y			100 CO 10	
8. ARI (Er for	EA & CL/ nter 'X' und. Ent	ASS OF VIOLA' in box if ther 'O' if notes found.)	TION violations	9. EVALU									
	Class of								RESP Free Agency Fields				
Violation		GWM	CL/PC	FIN/RESP			CMPL/SCH	Manifest O		Other	Agency	2	3
	I I I												
(Mos	st frequ ted belo	VT ACTION Dently used one. See Inst Conal codes.)		11. ENFORC	CEMENT CO	MMENI:	S	· · · · · · · · · · · · · · · · · · ·					
Violat	ion	Action		Compliance Date		Status				Resp		T T	
Class	Area	Type (use code)	Date Taken	Scheduled	Actual	Code	Date	Assess	Collect	Agen	cy Fie	elds 3	_
													
Codes for Enforcement Actions: 03 = Warning Letter 04 = Compliance Complaint 05 = Administrative Order 10 = Informal Codes for Enforcement Status: A = Active/progressing to resolution R = Resolved/no further action required X = Pending/no response P = Progressed to subsequent action					12. For State Use								
Codes fo	or Respo	onsible Agend	J = J	tate oint State/I	J.S. EPA				***		Gonta	whor ?	7 1984